

Atmospheric plasma: a simple way of improving the interface between natural polysaccharides and polyesters

X Carette, R Mincheva, M Herbin, X Noirfalise, T C Nguyen, P Leclere, T

Godfroid, H Kerdjoudj, O Jolois, M Boudhifa, et al.

► To cite this version:

X Carette, R Mincheva, M Herbin, X Noirfalise, T C Nguyen, et al.. Atmospheric plasma: a simple way of improving the interface between natural polysaccharides and polyesters. IOP Conference Series: Materials Science and Engineering, 2021, 1056, 10.1088/1757-899x/1056/1/012005. hal-03429631

HAL Id: hal-03429631 https://hal.univ-reims.fr/hal-03429631v1

Submitted on 15 Nov 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

PAPER • OPEN ACCESS

Atmospheric plasma: a simple way of improving the interface between natural polysaccharides and polyesters

To cite this article: X Carette et al 2021 IOP Conf. Ser.: Mater. Sci. Eng. 1056 012005

View the article online for updates and enhancements.

You may also like

- Idunn Mons: Evidence for Ongoing Volcano-tectonic Activity and Atmospheric Implications on Venus
 P. D'Incecco, J. Filiberto, I. López et al.
- <u>The Scientific Value of a Sustained</u> <u>Exploration Program at the Aristarchus</u> <u>Plateau</u> Timothy D. Glotch, Erica R. Jawin, Benjamin T. Greenhagen et al.
- <u>The In Situ Exploration of a Relict Ocean</u> World: An Assessment of Potential Landing and Sampling Sites for a Future Mission to the Surface of Ceres Jennifer E. C. Scully, Samantha R. Baker, Julie C. Castillo-Rogez et al.

The Electrochemical Society

241st ECS Meeting

May 29 – June 2, 2022 Vancouver • BC • Canada Abstract submission deadline: **Dec 3, 2021**

Connect. Engage. Champion. Empower. Acclerate. We move science forward



This content was downloaded from IP address 194.199.64.72 on 15/11/2021 at 16:48

Atmospheric plasma: a simple way of improving the interface between natural polysaccharides and polyesters

X Carette¹, R Mincheva¹, M Herbin², X Noirfalise², T C Nguyen³, P Leclere³, T Godfroid², H Kerdjoudj⁴, O Jolois⁵, M Boudhifa⁶, J Raquez¹

¹Laboratory of Polymeric and Composite Materials (LPCM), University of Mons, Place du Parc, 23, B-7000, Mons, Belgium

² Laboratory of Chemistry of Plasma-Surface Interaction (ChIPS), University of Mons, 23 Place du Parc, B-7000 Mons, Belgium; Materia-Nova Research Center, Parc Initialis, B-7000 Mons, Belgium

³ Laboratory for Chemistry of Novel Materials (CMN), University of Mons, Place du Parc 23, Mons 7000, Belgium

⁴ EA 4691 Biomatériaux et Inflammation en Site Osseux (BIOS), Rue du Maréchal Juin 1, Reims, France

⁵Centre du Textile Belge (CENTEXBEL), Rue du Travail 5, Grâce-Hollogne, Belgique.

⁶ CRITT-MDTS, Boulevard Jean-Delautre 1, Charleville-Mézières, France

jean-marie.raquez@umons.ac.be

Abstract. In this study, a novel simple and fast method was developed of immobilizing a natural polysaccharide (chitosan) on a polylactide (PLA) surface. In order to overcome the lack of surface adhesion between the chitosan and the PLA due to incompatibility issues, atmospheric pressure plasma was used. The plasma activation was able to modify the PLA surface by generating surface chemistry proper for stabilizing the chitosan layer. The activation of the surface was monitored through water contact angle (WCA) measurements and X-ray photoelectron spectroscopy (XPS). Indeed, the introduction of new functionalities lowers the hydrophobicity of the PLA surface allowing an effective spreading and immobilization of the chitosan layer. The presence of chitosan on the polyester's surface was proven by Fourier transform infrared spectroscopy (FTIR).

1. Introduction

Tissue engineering (TE) is a multidisciplinary field of science focused on the regeneration of damaged living tissues [1]. Knowledge in chemistry, physics, engineering, and clinical sciences is combined to solve the problems related to tissue loss and organ failure via the design of a 3D scaffold with specific properties, allowing the cells to reproduce and form a natural implant. As the materials used for the 3D scaffold design have to combine multiple properties, finding a single material component that can fulfill all the requirements is highly improbable [2]. Thus, multiple combinations between polymers (inert, biodegradable, bioactive) and particles (metallic, ceramic, polymeric) are often studied. In terms of polymers, for example, polyesters are widely used in 3D scaffold preparation due to their biocompatibility and biodegradability. More particularly, the polylactic acid (PLA) has a long history of uses and has gained the US Food and Drug Administration (FDA) approval for clinical use. Despite the polymer biocompatibility, biodegradability, and bioresorbability, the adhesion of cells to the surface of the hydrophobic PLA remains a major challenge.[3], which limits the polyester uses in the biomedical field [4].

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

Surface Engineering for Biomedical Applications (SEBA 2020)		IOP Publishing
IOP Conf. Series: Materials Science and Engineering	1056 (2021) 012005	doi:10.1088/1757-899X/1056/1/012005

Many ways to improve the surface-cell compatibility can be found in the literature [4–7]. One of them relies on the introduction of bio(macro)molecules onto the surface of the polyester. In this respect, chitosan gains interest for its outstanding biological properties related with cell adhesion and antimicrobial and wound dressing properties. However, the incompatibility between the PLA and the chitosan chemistries implies the use of a prior chemical modification of one or both polymers to allow efficient coating or grafting. Usually, chitosan modification or covalent crosslinking is used to anchor the biopolymer onto the PLA surface. However, this significantly alters chitosan's biological activity and limits the success of the final scaffolds. Modifying the PLA seems more appropriate, but when performed in the polymer bulk this might alter the PLA functions. Therefore, other methods limited to surface modification are under extensive development. Amongst all, atmospheric plasma has already demonstrated its capability of modifying the surface chemistry of polymers and preserving their bulk properties [8].

In this work, a microwave atmospheric plasma torch was used to improve the adhesion of chitosan to the PLA surface. The plasma creates new functionalities for interacting with chitosan and an interface for its adhesion. The activation of a PLA surface was investigated by WCA and XPS. The presence of chitosan was also investigated by FTIR and WCA.


2. Experimental


2.1 Materials

The polyester used in this work is an amorphous PLA from INGEO (PLA 4060D). It possesses a T_g around 55 °C and no melting temperature. The PLA pellets were dried under reduced pressure overnight before thermo-compression at 180 °C to obtain a square sample of 4 cm² and a thickness of 500 µm. The chitosan is commercially available (Sigma) from shrimp with a deacetylation degree of 75% and a molar mass of 300 kg/mol. Acetic acid (ACS reagent, 99.7% purity) was supplied by Sigma and used as received. The chitosan was used as received and solubilized in an aqueous medium with the help of acetic acid (1 wt%). The final concentration of chitosan was 1 mg/ml.

2.2 Samples preparation

The plasma treatment was realized using an IONJET (a microwave plasma torch from IONICS, Belgium) with a generator set at a frequency of 2.5 GHz and a power of 30 W. Ar (99.9% purity, Air Liquide) was used as a carrier gas at a flow of 2 L/min. The torch was placed vertically at 1 cm off the sample surface fixed on an XY table moving at a speed of 8 mm/sec. A single cycle was performed and the samples were then dip-coated for 10 s in the chitosan solution. The as-prepared samples were dried in ambient air overnight.





2.3 Analyses

The FTIR spectra were recorded on a Bruker Tensor 27 spectrometer in attenuated total reflectance mode with a 4-cm⁻¹ resolution. The background and sample spectra were obtained in the wavenumber range $600 - 4000 \text{ cm}^{-1}$. The water contact angle (WCA) measurements were implemented using a DSA Mk2 drop shape analysis system in a static mode at 25 °C by a sessile drop method. For each sample, at least five measurements on different surface locations were averaged. The XPS analyses of all samples were performed using an ESCA-5000 (Physical Electronics) Versa Probe system. The following X-ray settings were used: beam-size diameter 200 µm; beam power 50 W; voltage 15 kV. The pressure in the analysis chamber was typically 2×10^{-6} Pa. The XPS data were collected using monochromatic Al K α radiation at 1486.6 eV. The photoelectrons were collected at a take-off angle of 45° (normal detection) to the surface normal. Survey (general) spectra were taken with a 187.85 eV pass energy, a 0.5 eV step and 40 ms/step, and the high-resolution spectra, with a 23.5 eV pass energy, a 0.2 eV step and 50 ms/step. The atomic compositions were derived from the high-resolution peak areas using the photoionization cross-sections calculated by Scofield, corrected for the dependence of the escape depth on the kinetic energy of the electrons and for the analyzer transmission function of our spectrometer. The atomic compositions were derived from the peak areas after a Shirley background subtraction.

3. Results and discussion

In order to fully assess the different steps of the process (Figure 1), (*i*) the plasma conditions were defined to prevent any modification of the PLA bulk or over-degradation of the polyester surface; (*ii*) the surface chemistry of the PLA was completely studied; and (*iii*) the chitosan layer deposition was investigated.

The change of the water contact angle (WCA) is a clear indication of a change in a polymer surface chemistry [9]. When applied to the untreated and the plasma-activated PLA surfaces, this easily accessible and well-known technique showed a sharp decrease of about 30° in WCA (Figure 2). Indeed, while the WCA of PLA was close to the typical value of 85° [10], after plasma activation it dropped to 55°. This result attests to a decrease in the surface hydrophobicity [7] and is related to imparting oxidized functions onto a polyester surface [11]. These newly formed reactive species form hydrophilic groups (hydroxyl or carboxylic) that will be finally used to interact with chitosan [12].





Figure 2 Evolution of the water contact angle with time after Ar treatment.


Surface Engineering for Biomedical Applications (SEBA 2020)		IOP Publishing
IOP Conf. Series: Materials Science and Engineering	1056 (2021) 012005	doi:10.1088/1757-899X/1056/1/012005

However, this change in the surface hydrophobicity was not permanent, as an increase of the WCA was observed with time within two weeks. This phenomenon is due to a relaxation process of the surface known as hydrophobic recovery [13]. The period for effective chitosan deposition was then defined to be of several hours and the coating process was realized directly after the plasma activation.



To confirm and determine the plasma-created chemistry, the surface composition of the samples was studied by XPS. Figure 3 (a)-(b) shows the deconvoluted C1s core-level spectra of the pristine and the activated PLA, respectively. The C1s spectrum of the pristine PLA surface contained three peaks: 285 eV (-C-H/C-C) (80%), 286.3 eV (C-O-C/C-OH) (16%), and 289.2 eV (O-C=O) (4%) [14]. However, the proportion of C-O to C=O increased when the sample was subjected to plasma activation. The surface was highly enriched in oxygen, the oxygen content rising from 10 to 40 atomic %. These results are associated with the formation of oxidized functions on the surface as concluded from the WCA results [15]. The presence of these new hydrophilic functions will have two purposes. They will allow obtaining a better spreading of the chitosan solution during the dip-coating process[16] and stabilization of the chitosan coating on the PLA surface.

At the next step, chitosan layer deposition was performed by short-time dip-coating to prevent any possible PLA surface alterations. The chitosan presence at the surface was then studied by FTIR (Figure 4). The characteristic bands of polyester can be seen on the reference (black curve), the CH_2 and CH_3 vibrations around 2800 cm⁻¹ and the carbonyl around 1700 cm⁻¹. As a control, one sample was dip-coated without any plasma activation (red curve). Its spectrum is almost overlapping the reference curve highlighting the necessity of the plasma activation process in the stabilization of this chitosan layer. For the plasma-activated and dip-coated sample (act+dpc), two major observations can be made. First, the peaks of the polyester are still present on the curve, which means that the layer of chitosan is thinner than the depth of analysis (i.e., 2 μ m) or discontinuous. As several spots of the sample showed this behavior, the first hypothesis seems more plausible. Second, three new peaks appear on the spectrum, two relatively sharp bands of amide I and II respectively at 1650 cm⁻¹ (stretching of the C=O group hydrogen bonded to N–H of the neighboring intra-sheet chain) and 1580 cm⁻¹ [17] attributed to the presence of chitosan. These groups can be assigned to the OH of the sugar unit and the amine of the lateral group of the D-glucosamine unit of the chitosan.



Wavenumber (cm⁻¹)

Figure 4 FTIR spectra of neat PLA (black), a dip-coated PLA (dpc, red) and a plasma-activated + dipcoated PLA (act+ dpc, blue)

4. Conclusions

In this work, a new technique of improving the immobilization of a polysaccharide, chitosan, on a polyester surface was developed. Thanks to the plasma technology employed, the polyester surface could be modified to possess enough functions to allow the immobilization of the chitosan as proved by FTIR, contact angle measurements and XPS. This technique exhibits several advantages, as it is fast, efficient, and could be easily adapted to treat 3D objects in reduced time compared to the usual chemical methods [18]. However, several issues are still to be dealt with. The morphology changes of the surface during the process and a chemical investigation of the final layer to assess the interactions involved in the stabilization will be part of a future publication.

5. Acknowledges

Authors thank INTERREG IV program, BIOMAT-FEDER, FEDER LCFM, and RW for supporting TEXTOS project. CIRMAP is grateful to the European Commission and the Wallonia Region (FEDER Program), and OPTI2MAT program of excellence. Jean-Marie Raquez is a FRS-FNRS senior scientific researcher.

References

- [1] Jagur-Grodzinski J 2006 Polym. Adv. Technol. 17 395–418.
- [2] Grøndahl L, Jack K S and Goonasekera C S 2017 "Composite materials for bone repair" Second Edi, Elsevier Ltd.
- [3] Armentano I, Dottori M, Fortunati E, Mattioli S and Kenny J M 2010 *Polym. Degrad. Stab.* **95** 2126–2146.
- [4] Nakagawa M, Teraoka F, Fujimoto S, Hamada Y, Kibayashi H and Takahashi J 2006 *J. Biomed. Mater. Res. A.* **77** 112–118.

Surface Engineering for Biomedical Applications (SEBA 2020)

IOP Publishing

doi:10.1088/1757-899X/1056/1/012005

IOP Conf. Series: Materials Science and Engineering 1056 (2021) 012005

- [5] Yang J, Bei J and Wang S 2002 Biomaterials 23 2607–2614.
- [6] Saranya N, Saravanan S, Moorthi A, Ramyakrishna B and Selvamurugan N 2011 *Biomed. Nanotechnol.* 7 238-244.
- [7] Tamada Y and Ikada Y 1993 Polymer (Guildf). 32 2208–2212.
- [8] Leroux F, Campagne C, Perwuelz A and Gengembre L 2009 Surf. Coat. Technol. 203 3178–3183.
- [9] Neuendorf R E, Saiz E, Tomsia A P and Ritchie R O 2008 Acta Biomater. 4 1288–1296.
- [10] Darie-Niță R N, Vasile C, Stoleru E, Pamfil D, Zaharescu T, Tarțău L, Tudorachi N, Brebu M A, Pricope G M and Dumitriu R P 2018 *Materials (Basel)*. **11** 1825.
- [11] Ikada Y, Suzuki M and Tamada Y 1984 "Polymer Surfaces Possessing Minimal Interaction with Blood Components" Polymers as Biomaterials, in: S.W. Shalaby, A.S. Hoffman, B.D. Ratner, T.A. Horbett (Eds.), Springer US, Boston, MA, 135–147.
- [12] Wang R, Shen Y, Zhang C, Yan P and Shao T 2016 Appl. Surf. Sci. 367 401-406.
- [13] Mortazavi M and Nosonovsky M 2012 Appl. Surf. Sci. 258 6876-6883.
- [14] Nazmul M, Rigout M, Yeates S G and Carr C 2014 Dye. Pigment. 103 168–174.
- [15] Kostov K G, Nishime T M C, Castro A H R, Toth A and Hein L RO 2014 Appl. Surf. Sci. 314 367–375.
- [16] Dowling D P, Miller I S, Ardhaoui M and Gallagher W M 2010 J. Biomater. Appl. 26 327–347.
- [17] Zhu A, Zhang M, Wu J and Shen J 2002 *Biomaterials* 23 4657–4665.
- [18] Ma Z, Mao Z and Gao C 2007 Colloids Surfaces B: Biointerfaces 60 137–157.